

HC348 规格书(Line-up)

基板 CCL: HC348

半固化片 PP: HB348

1、Only E-Glass Type CCL: HC348

Core Thickness		Standard Construction	RC(%)	Dk				Df			
mil	mm			1GHz	5GHz	10GHz	15GHz	1GHz	5GHz	10GHz	15GHz
6.6	0.16	1080X2	70	/	3.39	/	/	/	0.0036	/	/
10.0	0.25	1080X3	70	/	3.40	/	/	/	0.0036	/	/
13.3	0.34	1080X4	70	/	3.41	/	/	/	0.0036	/	/
16.6	0.42	1080X5	70	/	3.44	/	/	/	0.0036	/	/
20.0	0.50	1080X6	70	/	3.45	/	/	/	0.0036	/	/
23.3	0.59	1080X7	70	/	/	/	/	/	0.0036	/	/
26.6	0.68	1080X8	70	/	/	/	/	/	0.0036	/	/
30.0	0.76	1080X9	70	/	3.48	/	/	/	0.0036	/	/
40.0	1.02	1080X12	70	/	3.51	/	/	/	0.0036	/	/

Copper foil	Pnl size	
	Warp	Fill
thickness		
1/2oz	48"	54"
1oz	36"	48"
	18"	24"

2、 Only E-Glass Type PP: HB348

Pressed Thickness		Pnl size	
mil	mm	Warp	Fill
4.0	0.101	21"	24"
		18"	24"

Remark: 1. The above data is for your reference only.

2. Please contact WAZAM sale and TS team if need more Laminates type.

